

MATERIAL SAFETY DATA SHEET

SECTION 1

Product Name: APCO ODORLESS SOLVENT No. 2

Supplier's Name: APCO INDUSTRIES CO. LTD.  
10 Industrial Street  
Toronto, Ontario M4G 1Z1

Information Telephone: 416-421-6161

Prepared by M.C. Needham

Date: November 1, 2010

WHMIS Information  
Class B, Division 3 Combustible Liquids

Transportation of Dangerous Goods Information (Rail/Road)  
Shipping Name: PETROLEUM DISTILLATES, N.O.S.  
Class: 3  
UN Number: UN1268  
Packaging Group: III

SECTION 2 - HAZARDOUS INGREDIENTS

	Conc. (W/W)	CAS Number
Naphtha (Petroleum), Heavy Alkylate	100.00%	64741-65-7

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

Chemical Family: Petroleum Hydrocarbon  
Ingredients: Mixture of Petroleum Hydrocarbons, mainly  
Isoparaffins.  
Appearance and Odour: Clear, colourless liquid.  
Boiling Point Initial: 175 Deg. C  
Boiling Point Final: 195 Deg. C  
% Volatile by Volume: 100  
Vapour Pressure: 0.07 kPa @ 20 Deg.C  
Vapour Density (Air = 1): 5.3

# MATERIAL SAFETY DATA SHEET

Page 2 of 3

Specific Gravity: 0.758 @ 15.6/15.6 Deg. C (60/60 Deg. F)  
Solubility in Water: 0.05 g/l Negligible  
Evaporation Rate (n-Butyl acetate = 1): 0.1

---

## SECTION 4 - FIRE AND EXPLOSION HAZARD

---

Flash Point and Method: TCC: 51 Deg. C  
Auto Ignition Temperature: 347.8 Deg C  
Flammable Limits (Percent by Volume) (Lel) 0.6 (Uel) 7.0

Hazardous Products of Combustion: Fumes, smoke and carbon monoxide.

Special Fire Fighting Procedures: Respirators required for firefighting personnel. If possible to do so safely, shut off fuel to fire.

Extinguishing Agents: Use dry chemical, carbon dioxide, alcohol foam, or water spray as extinguishing agents. Use water spray to cool fire-exposed surfaces and to protect personnel. When using water spray, boil-over may occur when the product temperature reaches the boiling point of water.

---

## SECTION 5 - REACTIVITY DATA

---

Stability: Stable

Incompatibility and Materials/Conditions to Avoid: Strong oxidizing agents.

---

## SECTION 6 - HEALTH HAZARD DATA

---

Exposure Limit for Vapour Mixture: 192 ppm (1200 mg/m3) total hydrocarbons recommended. (8 hour TWA)

Inhalation: The vapours have a low to moderate toxicity. In high concentrations the vapours are irritating and anaesthetic. The irritating properties give warning as anaesthetic concentrations are approached.

Eye Contact: Slightly irritating, but does not cause eye tissue damage.

Skin Contact: Very low order of toxicity by skin absorption. However, frequent or prolonged contact may irritate the skin and cause dermatitis.

Ingestion: Low order of toxicity. However, minute amounts aspirated into the lungs during swallowing or subsequent vomiting may cause severe lung irritation.

---

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

---

Adequate ventilation should be provided to maintain the total hydrocarbon concentration below the above mentioned occupational exposure limit. Avoid frequent or prolonged skin contact. Wear suitable eye protection if the possibility of splashing exists.

Keep container closed. Store in cool place well removed from strong oxidants, sources of ignition and building exits.

Product is a static accumulator. Take precautions as to adequate grounding etc. when transferring at temperatures near or above flash point.

Containers of this material may be hazardous when emptied. Emptied containers retain product residue (vapour, liquid etc.)

IN CASE OF SPILL

Remove all sources of ignition. Prevent from entering sewers or water courses. Ventilate enclosed spaces or wear respiratory protection.

Procedures For Clean-up: Pump up (explosion proof motor) or soak up with sand, cotton waste or other absorbant.

Waste Disposal: Controlled incineration or use waste disposal service. In case of large spills, warn public of downwind explosion hazard.

---

SECTION 8 - EMERGENCY FIRST AID PROCEDURES

---

Inhalation: Rescuers should wear respiratory protection.

Remove immediately from contaminated area. Apply artificial respiration if breathing has stopped. Call a physician.

Eye Contact: Flush with water for at least 15 minutes, seek medical attention if irritation persists.

Skin Contact: Wash with soap and water.

Ingestion: Due to the possibility of aspiration into the lungs, do not induce vomiting, keep at rest and call a physician.

---

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Apco Industries Co. Ltd. provides no warranties express or implied and assumes no responsibility for the accuracy or the completeness of the data contained herein.